

POWERFUL POWER PRESS MACHINES FOR YOUR INDUSTRY

STRONG, RELIABLE, AND BUILT FOR TOUGH JOBS – OUR POWER PRESSES ARE HERE TO HELP YOUR BUSINESS GROW.

Our range of power presses combines precision, durability, and efficiency to meet the demands of modern industries. Whether you need a compact C-frame press or a robust Hframe solution, our machines are engineered to handle heavy-duty operations with ease. Explore our top-selling models, designed for applications like metal stamping, punching, and forging, and backed by industry-leading technology to ensure consistent performance and reliability.

CONTACT US

B-XXIX-1999/561/A ST NO .6, Satguru Nagar ,New Shimlapuri, Ludhiana, Punjab 141003 +91 94178-13221,+91 94632-91014 www.bhagwanenggworks.com

bhagwanenggworks0014@gmail.com



OUR PRODUCTS

C-FRAME POWER PRESS

Capacity: 5 to 150 Tons

Applications: Ideal for metal stamping,

punching, and forming.

Features: Compact design, easy operation, and high precision.

C-FRAME POWER PRESS

Capacity: 10 to 200 Tons

Applications: Ideal for metal stamping,

punching, and forming.

Features: Compact design, easy operation, and high precision.

H-FRAME POWER PRESS

Capacity: 50 to 500 Tons

Applications: Suitable for deep drawing,

metal forging, and straightening. **Features:** Robust structure, high load

capacity, and energy efficiency

WHO WE ARE

We are one of the leading power press manufacturers in India delivering high-quality products and solutions across the country. Working for the last 3 decades in this industry we have improved how we design and manufacture the machines to ensure the final product aligns with the evolving customer preferences and requirements.

Coming from a humble background, we have paved our path with consistency, perseverance, and technological evolution. Today we can supply power presses with a capacity of more than 100 tons and of multiple types, suitable for different industries and processes. We take pride in sharing that Bhagwan Engg Works is on the verge of becoming the best manufacturer of power press machines in India, and soon, we will be expanding to international markets by exporting "Made in India" machines overseas.







H-FRAME POWER PRESS

TECHNICAL SPECIFICATIONS

| Capacity in Tons | 20 | 30 | 50 | 75 | 100 | 150 | 200 | 250 | 300 |
|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|
| Table Bed Size L-R*F-B | 355/406 | 406/460 | 460/508 | 533/585 | 615/660 | 635/760 | 700/850 | 900/925 | 1000/1000 |
| Distance Table to ram | 255 | 291 | 355 | 375 | 455 | 500 | 525 | 580 | 650 |
| Stroke Length | 65 | 76 | 100 | 110 | 125 | 128 | 135 | 155 | 205 |
| Slide Adjustment | 25 | 38 | 38 | 38 | 50 | 50 | 50 | 50 | 60 |
| Shank Hole | 28 | 37 | 37 | 51 | 51 | 57 | 67 | 75 | 80 |
| No. of Strockes Per Min. | 70 | 50 | 45 | 40 | 35 | 30 | 30 | 30 | 30 |
| Bore in Table | 120 | 125 | 160 | 170 | 210 | 215 | 220 | 220 | 220 |
| Crank Shaft | 90 | 100 | 120 | 140 | 180 | 205 | 230 | 245 | 260 |
| Rear Shaft | 65 | 70 | 75 | 85 | 110 | 125 | 130 | 140 | 155 |
| Fly Wheel Dia | 660 | 711 | 812 | 915 | 1066 | 1143 | 1218 | 1315 | 1422 |
| Gear Dia | 546 | 660 | 725 | 812 | 915 | 1016 | 1168 | 1270 | 1400 |
| Power Required | 2HP | ЗНР | 5HP | 7.5HP | 10HP | 15HP | 15HP | 20HP | 30HP |
| RPM | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 |
| Pully Size | 150 | 150 | 150 | 150 | 150 | 175 | 200 | 200 | 225 |



CONTACT US

B-XXIX-1999/561/A ST NO .6, Satguru Nagar ,New Shimlapuri, Ludhiana, Punjab 141003 +91 94178-13221, +91 94632-91014

 $www.bhagwanenggworks.com\ ,\ bhagwanenggworks0014@gmail.com$

H-FRAME POWER PRESS



C-FRAME POWER PRESS

TECHNICAL SPECIFICATIONS

| Capacity in Tons | 5 | 10 | 20 | 30 | 50 | 75 | 100 | 150 |
|--------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| Table Bed Size L-R*F-B | 305/405 | 335/465 | 380/560 | 415/600 | 510/765 | 560/840 | 610/920 | 720/1025 |
| Distance Table to ram | 215 | 285 | 305 | 365 | 415 | 430 | 475 | 515 |
| Stroke Length | 40 | 50 | 65 | 85 | 100 | 110 | 125 | 128 |
| Slide Adjustment | 25 | 25 | 30 | 38 | 38 | 38 | 50 | 50 |
| Shank Hole | 25 | 25 | 38 | 37 | 37 | 51 | 51 | 57 |
| No. of Strockes Per Min. | 55 | 50 | 50 | 45 | 45 | 40 | 40 | 35 |
| Bore in Table | 75 | 100 | 120 | 125 | 160 | 170 | 210 | 215 |
| Crank Shaft | 70 | 80 | 90 | 100 | 120 | 140 | 180 | 205 |
| Rear Shaft | 55 | 56 | 65 | 70 | 75 | 85 | 110 | 125 |
| Fly Wheel Dia | 482 | 533 | 660 | 711 | 812 | 915 | 1066 | 1143 |
| Gear Dia | 406 | 457 | 546 | 640 | 725 | 812 | 915 | 1016 |
| Power Required | 2HP | 2HP | ЗНР | 5HP | 7.5HP | 10HP | 15HP | 15HP |
| RPM | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 | 1440 |
| Pully Size | 125 | 130 | 150 | 150 | 150 | 150 | 150 | 175 |



CONTACT US

B-XXIX-1999/561/A ST NO .6, Satguru Nagar ,New Shimlapuri, Ludhiana, Punjab 141003 +91 94178-13221, +91 94632-91014

www.bhagwanenggworks.com, bhagwanenggworks0014@gmail.com

C-FRAME POWER PRESS